## HEAD START/EARLY HEAD START PHYSICAL EXAMINATION

## Child Care Staff Health Assessment

Name of person to be examined:	
Employer for whom examination is being done:	
Employer's Location:Phone number:	
Purpose of examination: pre-employment (with conditional offer of employment)	annual re-examination
Type of activity on the job: lifting, carrying children close contact with children	food preparation
desk work driver of vehicles	facility maintenance
******* Part I and Part II below must be completed and signed by a licensed physician or CRNP. *******	
Based on a review of the medical record, health history, and examination, does this person have any of the following conditions or problems that might affect job performance or require accommodation?	
Date of exam:	•
Part I: Health Problems visual acuity less than 20/40 (combined, obtained with lenses if needed)?	(circle)
decreased hearing (less than 20 db at 500, 1000, 2000, 4000 Hz)?	ycsIIO
respiratory problems (asthma, emphysema, airway allergies, current smoker, other)?	
heart, blood pressure, or other cardiovascular problems?	vesno
gastrointestinal problems (ulcer, colitis, special dietary requirements, obesity, other)?	
endocrine problems (diabetes, thyroid, other)?	
emotional disorders or addiction (depression, drug or alcohol dependency, difficulty handling stres	s, other)?yesno
neurologic problems (epilepsy, Parkinsonism, other)?	
musculoskeletal problems (low back pain, neck problems, arthritis, limitations on activity)	
skin problems (eczema, rashes, conditions incompatible with frequent hand washing, other)?	
immune system problems (from medication, illness, allergies and susceptibility to infection)?	
need for more frequent health visits or sick days than the average person?	
other special medical problem or chronic disease that requires work restrictions or accommodation?yesno	
Part II: Infectious Disease Status	
Immunizations now due/overdue for:	
dT (every 10 years)	
MMR (2 doses for persons born after 1989; 1 dose for those born in or after 1957)	
polio (OPV or IPV in childhood)	
hepatitis B (3 dose series)varicella (2 doses or had the disease)	
influenza	
pneumococcal vaccine	-
Female of childbearing age susceptible to CMV or parvovirus?	-
Evaluation of tuberculosis status shows a risk for communicable TB?	
Mantoux test date Result_	
(Tuberculosis status must be determined by performing the Mantoux test (intradermal, intermediate strength PPD injection with needle and syringe) for persons not previously tested positive for tuberculosis infection. For individuals over 55 years of age, anyone with pulmonary symptoms, or immune deficiency, the Mantoux test should be performed twice if the first test is negative. The second test should be performed 1-3 weeks after the first test. Anyone with a previously positive Mantoux test who has symptoms suggestive of active TB should have a chest x-ray. All newly positive Mantoux tests should be followed by x-ray evaluation.)  Please attach additional sheets to explain all "yes" answers above. Include the plan for follow up.	
t teuse attach additional sheets to explain att yes answers above. Include the plan fi	MD
	DO CRNP
(Date) (Signature) (Printed last name)	(Title)
Phone number of licensed physician, physician's assistant, or CRNP:	
I have read and understand the above information.	
(Date) (Patient's Signature)	