

CONDITION

RETURN WHEN

Chicken Pox	Until six days after the start of rash or when the lesions are sated over
Colds and Flu	Children with colds or flu can attend as long as they feel well enough to participate and are fever free for 24 hours without fever reducing medication.
Conjunctivitis (Pink Eye)	24 hours after the start of antibiotic treatment, and there is no discharge from eyes
Cytomegalovirus (CMV)	A child with CMV does not need to stay home
Fever (100.4) or higher	24 hours after temperature has returned to normal without fever reducing medication
Fifth Disease	Children with Fifth Disease do not need to stay home as long as they feel well enough to participate and are fever free for 24 hours without fever reducing medication
Giardiasis	If a child has diarrhea, they can return after treatment or when diarrhea is resolved
Hand, Foot and Mouth Syndrome	Children with HF&M do not need to stay home as long as they feel well enough to participate and are fever free for 24 hours without fever reducing medication
Head Lice	24 hours after treatment is completed and free of nits
Hepatitis A	One week after the start of jaundice and until the child feels well enough to participate in activities
Hepatitis B	Health Care Provider Clearance Required
HIV/AIDS	Children can attend as long as feel well enough to participate in activities. Keep them home if they have oozing skin lesions that can't be covered
Herpes	Until mouth sores are healed or can be covered
Impetigo	24 hours after the start of antibiotic treatment
Infectious Diarrhea	When Diarrhea is resolved
Measles	Six days after rash appears and the child feels well enough to participate
Meningitis	Health Care Provider Clearance Required
Mumps	Nine days after the start of swelling
Whooping Cough	Five days after the start of antibiotics
Pinworms	After treatment is started
Ringworm	After treatment is started
Roseola	Children can attend as long as they feel well enough to participate in activities.
Rubella	Six days after the rash appears
Scabies	Ater treatment is completed
Streptococcal Infection	24 hours after the start of antibiotic treatment and child is fever free for 24 hours without fever reducing medication
Tuberculosis	Health Care Provider Clearance Required
RSV	Eight days after contracting RSV
Croup	24 hours after temperature has returned to normal without fever reducing medication
Covid -19	Without symptoms and 24 hours after temperature has returned to normal without fever reducing medication